


ANSYS 12.1 Capabilities Chart

ANSYS Solver Product Solutions

	ANSYS® Multiphysics™	ANSYS® Mechanical™	ANSYS® Structural™	ANSYS® Professional™ NLS	ANSYS® Professional™ NLT	ANSYS® DesignSpace®	ANSYS® Explicit STR™	ANSYS® AUTODYN®	ANSYS® LS-DYNA®	ANSYS® CFD™		ANSYS® CFD-Fllo™	ANSYS® POLYFLOW™	HFSS™	Maxwell®	ANSYS® Emag™ [C-I]
										ANSYS® FLUENT®	ANSYS® CFX®					
2-D Solver								•								
Fluid structure interaction (FSI)								•								
Implicit-explicit deformations							•	•								
Implicit-explicit material states							•	•	•							
Thermal Analysis																
Analysis Types																
Steady state	•	•		•	•	•					•	•	•			
Transient	•	•			•						•	•	•			
Thermal Modeling																
Conduction	•	•		•	•	•					•	•	•			
Convection	•	•		•	•	•					•	•	•			
Radiation	•	•			•	•					•	•	Δ			
Phase change	•	•			•						•	•	Δ			
Fluid Dynamics																
Modeling Capabilities																
Variety of inlet and outlet b.c.	•										•	•	•			
Steady-state flow	•										•	•	•			
Transient flow	•										•	•	•			
2-D flow - dedicated solver option											•	•	•			
2-D flow - using thin 3-D segment	•										•	•	•			
3-D flow	•										•	•	•			
Time-dependent boundary conditions	•										•	•	•			
Incompressible flow	•										•	•	•			
Compressible flow	•										•	•	•			
Natural convection	•										•	•	•			
Fan model	•										•	•	•			
Periodic domains	•										•	•	•			
Porous media	•										•	•	•			
Heat transfer	•										•	•	•			
Conjugate heat transfer	•										•	•	•			
Non-Newtonian viscosity	•										•	•	•			
Viscoelasticity													•			
Turbulence - isotropic	•										•	•	•			
Turbulence - anisotropic/RSM/LES	•										•	•	•			
Turbulence - transitional/SAS/DES											•	•	•			
Rotating equipment - MRF/frozen-rotor											•	•	•			
Rotating equipment - sliding-mesh/stage											•	•	•			
Dynamic/moving-deforming mesh	•										•	•	•			
Immersed-solid/MST method for moving parts	•										•	•	•			
Flow-driven solid motion (6DOF)											•	•	•			
Internal radiation - participating media	•										•	•	•			
Internal radiation - transparent media											•	•	•			
External radiation											•	•	•			
Solar radiation and load											•	•	•			
Species modeling	•										•	•	•			
Flow pathlines (massless)	•										•	•	•			
Particle tracking (with mass)											•	•	•			
Coupled discrete phase modeling											•	•	•			
Acoustics - source export	•										•	•	•			
Acoustics - noise prediction											•	•	•			
Chemical reaction											•	•	•			
Combustion											•	•	•			
Cavitation	•										•	•	•			
Multiphase - Eulerian											•	•	•			
Multiphase - free surface	•										•	•	•			
Fluid structure interaction option	•										•	•	•			
Internal optimization for flow													•			
Specialty extrusion models													•			
Specialty blow molding models													•			
Specialty fiber spinning models											•	•	•			
Specialty fuel cell models											+	•	•			
Solver Options																
Pressure-based coupled solver	•										•	•	•			
Density-based coupled solver											•	•	•			



ANSYS 12.1 Capabilities Chart

ANSYS Solver Product Solutions

	ANSYS Solver Product Solutions														
	ANSYS® Multiphysics™	ANSYS® Mechanical™	ANSYS® Structural™	ANSYS® Professional™ NLS	ANSYS® Professional™ NLT	ANSYS® DesignSpace®	ANSYS® Explicit STR™	ANSYS® AUTODYN®	ANSYS® LS-DYNA®	ANSYS® CFD™		ANSYS® POLYFLOW™	HFSS™	Maxwell®	ANSYS® Emag™ [C-1]
									ANSYS® FLUENT®	ANSYS® CFX®	ANSYS® CFD-Fllo™				
Pressure-based segregated solver									•	•	•				
Parallel solving on local PC option	•							•	•	•	•				
Parallel solving over network option	•							•	•	•	•				
Customizable, scripting and user functions	•								•	•	•	•			
Electromagnetics – Low Frequency															
Electrostatics	•													•	•
AC conduction	•													•	•
DC conduction	•													•	•
DC insulator field														•	•
Magnetostatics	•													•	•
Adaptive field mesh														•	•
AC harmonic magnetic	•													•	•
AC harmonic electric	•													•	•
Electric transient	•													•	•
Ion optics	•														•
Magnetic Transient															
Rigid motion visualization														•	•
Translational motion	•													•	•
Rotational motion	•													•	•
Double-layer rotational motion														•	•
Cylindrical motion														•	•
Automatic matching boundaries														•	•
Winding definition														•	•
Automatic coil connections across boundaries														•	•
Advanced circuit coupling with Simplorer®														•	•
Circuit coupling with adaptive time stepping														•	•
Advanced Material Characteristics															
Nonlinear anisotropic materials														•	•
Functional magnetization direction														•	•
Advanced permanent magnet demagnetization modeling														•	•
Nonlinear magnetization characteristics														•	•
Core loss modeling														•	•
Automatic projects creation using UDPs														•	•
Insulation sheet to model cracks														•	•
Electromagnetics - High Frequency															
Modal													•		
Q factor													•		
Harmonic analysis driven by 2-D ports													•		
Harmonic analysis - voltage and current sources													•		
Scattering of plane waves													•		
Scattering of cylindrical waves													•		
Perfect electric and magnetic conductors													•		
Impedance boundaries													•		
Boundary conditions for thin layers and screens													•		
Lumped RLC components													•		
Perfectly matched absorber boundaries													•		
Near- and far-field extension													•		
Periodic structures													•		
Frequency-selective surface (FSS)													•		
EMI/EMC													•		
Antenna radiation patterns													•		
Radar cross section													•		
Specific absorption rate (SAR)													•		
Coupled Physics (Sometimes Requires Two or More Products)															
Acoustics	•	•							•	Δ	Δ				
Acoustics-structural	•	•													
Electric-Magnetic	•												•	•	•

ANSYS 12.1 Capabilities Chart	ANSYS Solver Product Solutions															
	ANSYS® Multiphysics™	ANSYS® Mechanical™	ANSYS® Structural™	ANSYS® Professional™ NLS	ANSYS® Professional™ NLT	ANSYS® DesignSpace®	ANSYS® Explicit STR™	ANSYS® AUTODYN®	ANSYS® LS-DYNA®	ANSYS® CFD™		ANSYS® CFD-Fllo™	ANSYS® POLYFLOW™	HFSS™	Maxwell®	ANSYS® Emag™
										ANSYS® FLUENT®	ANSYS® CFX®					
Fluid-structural	•	•									+	+	+			
Fluid-thermal	•	•									•	•	•			
Electromagnetic-fluid	•										+	+	+		•	
Magnetic-structural	•															•
Electromagnetic-thermal	•													•	•	•
Piezoelectric	•	•														
Piezoresistive	•	•														
Thermal-electric	•	•														
Thermal-structural	•	•		•	•	•										
Thermal-electric-structural	•	•														
Electromagnetic-thermal-structural	•													•	•	•
Electrostatic-structural	•															
Reduced order modeling (ROM)	•	•													•	•
Multi-field general purpose solver	•	•									•	•	•			•
Preprocessing																
Modeling Capabilities																
IGES/STEP geometry reader	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Beam modeling	•	•	•	•	•	•	•	•	•	•						
Meshing Capabilities																
Defeaturing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Automatic surface meshing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Automatic tetrahedral meshing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Automatic prism inflation layers	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Automatic hexa-core meshing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Automatic swept hex meshing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Automatic hexa-dominant meshing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Thin-sweep meshing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Curvilinear elements														•	•	
Adaptive mesh refinement											•	•	•	•	•	
Mesh editing											•	•	•	•	•	
Mesh repair (remeshing, etc.)											•	•	•	•	•	
Boundary Conditions																
Solid model loads and boundary conditions	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tabular loads and boundary conditions	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Function loads and boundary conditions	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Apply temperature loads	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Post-processing																
Report generator	•	•	•	•	•	•	•	•	Δ	Δ	•	•	•	•	•	•
Contour displays	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Vector displays	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Isosurface displays	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Slicing planes	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Quantitative calculations	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Particle tracing	•										•	•	•	•	•	•
Animation	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Output (images, Excel® data)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CFD turbomachinery post-processing											•	•	•			
General																
ANSYS® Engineering Knowledge Manager™ (EKM™) data management ready	+	+	+	+	+	+	+	+			+	+	+	+		+
Parallel solvers (HPC licenses required)	+	+	+	+	+				+	+	+	+	+	+	+	+
Solver scripting language	•	•	•	•	•	•	•	•			•	•	•	•	•	•
Parameter manager	•	•	•	•	•	•	•	•	Δ		•	•	•	•	•	•

Δ = Limited set of feature capabilities

+ = Additional product required

[C-1] Add-on module for ANSYS Mechanical

www.ansys.com

ANSYS, Inc.
Southpointe
275 Technology Drive
Canonsburg, PA 15317
U.S.A.
724.746.3304
ansysinfo@ansys.com

Toll Free U.S.A./Canada:
1.866.267.9724
Toll Free Mexico:
001.866.267.9724
Europe:
44.870.010.4456
eu.sales@ansys.com

ANSYS, ANSYS Workbench, HFSS, AUTODYN, CFX, FLUENT and any and all ANSYS, Inc. brand, product, service and feature names, logos and slogans are registered trademarks or trademarks of ANSYS, Inc. or its subsidiaries in the United States or other countries. ICFM CFD is a trademark used under license. All other brand, product, service and feature names or trademarks are the property of their respective owners.

Image Credits: Some images courtesy FluidDA nv, Forschungszentrum Jülich GmbH, Heat Transfer Research, Inc., Riello SPA and iStockphoto.com

© 2009 ANSYS, Inc. All Rights Reserved. Printed in U.S.A.

MKT0000465

11-09